

# Catch statistics for Atlantic salmon Arctic charr and brown trout in Icelandic rivers and lakes 2013

Guðni Guðbergsson



**VEIÐIMÁLASTOFNUN**  
Institute of Freshwater Fisheries




.....  
F I S K I S T O F A



VMST/14045

**Catch statistics for Atlantic salmon Arctic charr  
and brown trout in Icelandic rivers and lakes  
2013**

**Guðni Guðbergsson**



**VEIÐIMÁLASTOFNUN**  
Institute of Freshwater Fisheries



**FISKISTOFA**  
Directorate of Fisheries

Institute of Freshwater Fisheries  
Árleyni 22, 112 Reykjavík

Directorate of Fisheries  
Dalshrauni 1, 220 Hafnarfirði

Reykjavik, June 2014



**Contents**

Introduction..... 1

Methods..... 2

Results..... 4

Discussion..... 6

Acknowledgements..... 8

Referances..... 8

Figures ..... 10-14

Tables..... 15-33



## Introduction

Five native species of freshwater fishes are found in Iceland. These are the salmonid species, Atlantic salmon (*Salmo salar*), brown trout (*Salmo trutta*) and Arctic charr (*Salvelinus alpinus*). The other two are, European eel (*Anquilla anquilla*) and three-spined sticklebacks (*Gasterosteus aculeatus*). Arctic charr and brown trout can have both resident and migratory forms. Atlantic salmon, Arctic charr and brown trout all have exploited stocks in rivers and lakes in Iceland.

The fishing season for salmon in Icelandic rivers is at the maximum of 105 days in the period from 20<sup>th</sup> of May to 30<sup>th</sup> of September. In rivers where salmon fishery is mainly based on release of reared salmon smolts (ocean ranching) the fishing season can be extended to 120 days and throughout October with permission from the Directorate of Fisheries (Fiskistofa). The daily fishing period is usually 12 hours, and the fishery must be closed for 84 hours each week. In most Icelandic rivers rod and line is the only fishing gear allowed. A fixed number of rods are used in each river. In most rivers fishing effort has remained almost unchanged from 1970. Each Fishery association needs to make a plan that outlines the management strategy. The management plan needs approval by the Directorate of Fisheries after a review by the Institute of Freshwater Fisheries. The length of the fishing season, gear and effort allowed for fishing landlocked brown trout and Arctic charr is decided by local fishery associations (landowners). The fishing season for sea trout (migratory brown trout) and sea charr (migratory Arctic charr) can be decided by fishery associations (landowners) from 1 April to 10<sup>th</sup> of October with a possible extension to 20<sup>th</sup> of October for fish stocks in good condition with exploitable surplus for harvest. The 10 day extension needs approval by the Directorate of Fisheries.

Net fishery is almost exclusively bound to the largest glacial rivers where angling possibilities are limited due to turbid water. In the net fishery gillnets are the most common fishing method and draftnet are the fishing method used at few locations for catching brown trout and Arctic charr. The weekly net fishing period lasts from Tuesday morning at 10 AM to Friday evening at 10 PM. The weekly fishing period in net fisheries is 84 hours, the same number of hours as the weekly fishing opening as in the rod fishery. The weekend closure, in the net fishery, is to reduce fishing effort and enhance fish migration to the up rivers regions and tributaries.

There has been a general ban, by law, on ocean salmon fishing in Icelandic waters since 1932. An exception to that were five localities (farms) in West Iceland with coastal fishery (Figure 1). At these localities coastal gillnets set from land were used. These fishing rights were permanently bought out in 1997 by fishery associations in nearby rivers and with

governmental support. This was possible since salmon caught by anglers are of much higher economic value than salmon caught in the net fishery. All salmon harvested in Iceland is in freshwater and mostly based on exploitation of a single stock.

The fishing rights go with the ownership of the land adjacent to the rivers. The landowners are usually farmers. All the landowners of the fishing rights in a river system have by law to form a fishery association, which manages the exploitation of the fish stocks, within the frame set by the law. Usually the rivers fishery association rents or leases the fishing rights to angling syndicates, angling clubs or directly to anglers. The entire riverbank is accessible to the limited number of rod fishermen that have fishing permit each day. Most rivers have fishing lodges with high quality accommodation.

The catch is recorded in special logbooks in the fishing lodges. The logbook recording system was established in 1946. At the end of the fishing season the logbooks from every river are gathered and statistical information are processed by the Institute of Freshwater Fisheries. A statistical report is sent back to the fisheries associations as well as new logbooks before the next fishing season. Online electronic catch recording in a central database is now possible and can be accessed through the Institute of Freshwater Fisheries web page ([http://www.veidimal.is/default.asp?Sid\\_Id=53634&tId=1&Tre\\_Rod=001|003|001|&qsr](http://www.veidimal.is/default.asp?Sid_Id=53634&tId=1&Tre_Rod=001|003|001|&qsr))

Catch statistics for Atlantic salmon, brown trout and Arctic charr from Icelandic rivers and lakes for the 2013 fishing season have now been compiled and the main results are summarized in this report. This work is based on Gudbergsson (2014), **Lax- og silungsveiðin 2013**, a report from the Institute of Freshwater Fisheries (in Icelandic). The Atlantic salmon, brown trout and Arctic charr catch statistics have been compiled this way annually since 1987.

## **Methods**

Iceland is divided into statistical regions regarding to salmon catches (Figure 1). Information on the catch is summarized in tables for each region. The results from all regions are then combined for the whole country. The catch statistics for each river is summarized by fishing gear used. Rod and line is the most common harvesting methods but gillnets and draft nets are also used. The number of fish released (catch and release) from the rod fisheries are recorded. In previous years ocean ranching harvest has also been summarised. However, there has not been any release of smolts for commercial ocean ranching of salmon since 1998.



By tradition, the weight of freshwater fish in Iceland was measured in pounds where 1 pound = 500 g. By a decision made in 1999 this was changed to kg and the accuracy of 0,1 kg was anticipated. Fish length is to be measured to the nearest cm. For each fish, date of catch, pool name and number, type of bait, whether the fish is landed or released, as well as the name of the fisherman is recorded in the logbook. Fishing pools are commonly numbered in the logbooks for ease of listing and computer processing.

The salmon catch can be divided by weight into grilse (1SW, one sea winter) and salmon (2SW, two sea winter). The split for the two sea-age classes is made from weight distribution where males up to 4 kg and females up to 3.5 kg are grilse (one sea winter) and larger fish are salmon (multi sea winter) where off the vast majority is two sea winter salmon. This deviation into sea age has been confirmed with aging by scales with relatively little overlap in the weight distribution (Scarnecchia 1983). Salmon with more than 2 winters at sea are rare in Iceland and repeated spawning has been in low percentages in later years.

Brown trout and Arctic charr are caught in many rivers as a by-catch with the salmon. In other rivers these are the most dominant and targeted fish species. In some rivers brown trout and Arctic charr are the dominant species at certain parts of the rivers especially at slow flowing areas at the lower regions of the rivers. In this report stationary trout and sea-trout were combined, and the same applies for sea-run Arctic charr and stationary Arctic charr.

In the rod fishery the number of fish caught and released has been increasing. At first this was done on a voluntarily basis by the anglers but in few rivers catch and release is the only allowed fishing method. Many rivers have fly fishing only, release of two sea winter fish (fish larger than 69 cm) and bag limit of different magnitude is common. In most recent years, anglers have been encouraged by the Institute of Freshwater Fisheries, the Federation of Icelandic river owners and the Association of Icelandic angling clubs to release two-sea winter salmon in order to protect the two-sea winter salmon stock component. The catch statistics is processed for both the total catch including catch and released and the catch landed in numbers of fish and weight. Measure of length is more common than measure of weight for released fish. In cases where length is the only measure a known length weight relationship is used to calculate weight as a basis for determination of sea age composition of the catches.

In Iceland the rod catch in few rivers is based on the release of hatchery reared salmon smolts (ocean ranching to the rods). The catch in these rivers were close to 12 thousand fish in 2013 and 17,6% of the total salmon rod catch. The catch in these rivers is reported separately since

catch figures are often used as a measure of stock abundance of wild salmon and as a measure of spawning stock size. Unlike rivers with wild salmon populations, most of the rivers with releases of hatchery smolts for angling fishery have poor nursery areas and the returning adult fish do not contribute to the spawning stock.

## Results

A total of 68.042 salmon were caught in rod fisheries in Icelandic rivers in 2013 where off 23.133 (34%) was released and the catch landed (caught and retained) was 44.909 salmon (Table 1). The catch landed by weight was 116.178 kg. In the rod fishery the catch of grilse (1SW) were 40.547 fish (90%) and 90.564 kg and 4.362 salmon (MSW) (10%) weighing 4.363 kg. Of the total number of released fish 16.690 (72%) were grilse and 6.444 (28 %) salmon. Of the statistical regions the highest number of fish was caught in the rod fishery in the Vesturland region 25.857 fish where off 7.708 were released and the catch landed was 18.149 fish and 44.536 kg. There were fewer fish recorded in other areas (Table 1).

The catch in the net fishery was 11.583 fish and 30.280 kg in total. In the net fisheries the highest number of fish was caught in the Sudurland region, 11.291 fish and 29.503 kg (Table 2). Of the net catch 10.196 fish was grilse (1SW) weighing 25.275 kg and 1.387 salmon (MSW) weighing 5.005 kg.

The total combined salmon catch landed (rod and nets) in Iceland 2013 was 56.492 fish and 146.463 kg, there off 50.743 (90%) were 1SW and 5.749 (10%) MSW. The total 1SW catch was 119.839 kg and the MSW catch was 26.624 kg (Table 3).

The total number of brown trout caught in rod fishery was 33.660 fish, 10.706 were released and the catch landed was 22.954 fish and 30.039 kg (table 4). The total number of Arctic charr in the rod fishery was 23.455 fish, 5.149 were released and the catch landed was 18.180 fish and 12.364 kg.

The salmon rod catch in 2013 was 33.256 fish higher and almost double the catch in 2012 (table 5; figure 2). The total rod catch in 2013 was 69% over the average catch in the 39 years period from 1974 to 2012. The salmon catch in the net fishery was 7.824 fish, close to three fold the catch in 2012 and 1,5% lower than the average catch in the period from 1974-2012 (Table 5, Figure 3).

In 2013 the rod catch in rivers where the catch is mainly based on releases of hatchery reared smolts was 12.009 fish that is 17,6% of the total catch and the catch was close to 30,6 tonnes. The rod catch of wild salmon in 2012 was 56.033 fish (Table 5, figure 3). In total 28% of the salmon rod catches was released and 37% of the wild salmon was released in the rod fishery.

The catch landed of wild salmon in 2013, rod and net catch combined, was 44.686 fish that is 0,7% over of the average catch landed in the period from 1974-2012 and almost double the catch in 2012 (19.859).

No commercial ocean ranching activities have been operating since 1998. In previous years, substantial activities of ocean ranching with Atlantic salmon was operated in Iceland reaching up to 168 thousand fish caught in 1993 as the highest catch (harvest) (Table 5; Figure 4).

The highest number of salmon caught in rod fishery was in River Ytri-Rangá 5.453 fish with River Eystri-Rangá in second place with 4.797 fish. The angling fishery in both these rivers is based on releases of hatchery smolts (ranching to the rods). The angling catch in River Midfjardará came in third place with 3.659 wild salmon. The list of top 10 salmon rivers is shown in table 6. The top 3 list for catch landed also showed Ytri-Rangá with 5.427 fish landed and Eystri-Rangá with 4.719 landed fish. River Blanda and its tributary Svartá was in the third place with combined landed catch of 2.691 fish.

The top 10 list of brown trout is shown in table 7 and the top 10 list of Arctic charr is shown in table 8. The catch of brown in Iceland was relatively stable for the first decade of the 21<sup>th</sup> century but showed decrease for the last 3 years (Figure 5). The catch of Arctic charr has generally been decreasing since 2000 (Figure 6). The decrease in the Arctic charr catch may to large extent reflect the stock size and is causing serious concerns for the status of the spawning stocks in many rivers. The catch of brown trout has increased in some rivers where the Arctic charr have declined.

The rod catch records for individual rivers are listed by statistical areas in tables 9-15. The salmon catch in most Icelandic rivers are listed in table 16 for the period from 1974-2013 including average catch, maximum and minimum catch in the 40 year period. The rod catch of brown trout from 1987-2013 (27 years) is listed in table 17 and of Arctic charr is listed in table 18.

The catch in the net fisheries divided by species, rivers and regions is listed in table 19. The highest net catch of salmon was in River Thjórsá with 6.435 salmon caught.

The sea-age composition of the salmon catches is shown in figure 7. The figure includes rivers with annual catch records since 1970 and includes 88% of the average the annual salmon catch. It is worth noticing that after high catch in the 1980s the catch of 1SW salmon decreased after 1979 and increased after 1985. The MSW salmon showed similar pattern until 1980 but opposite to the increasing catch of 1SW fish the MSW salmon stock component showed a decline from the mid 1980's to 2000. After 2000 the declining trend of MSW salmon seems to have turned. Due to the decline of the MSW salmon component anglers are kindly asked to release MSW salmon in order to prevent the MSW component from overfishing and to conserve the MSW genetic resources in the salmon stocks.

Catch and release in the rod fishery has increased from 1996 when first recorded and was 34% of the total salmon rod catch in 2013 but 40,9% of the wild salmon (Figure 8). Catch and release was 29,2% of the total grilse (1SW) fish and 29,5% of the wild grilse (Figure 9). The proportion of catch and release of salmon (MSW) was 59,6% in total and 68,9% of the wild salmon.

Catch and release for brown trout and Arctic charr have increased and was 22% for Arctic charr and 31,8% for brown trout in 2013 (Figure 10).

## **Discussion**

Since 1932 there has been a general ban on ocean fishery for salmon in Icelandic waters with the exception of few locations with coastal fishery. The number of nets in rivers has been decreasing due to lease of nets, by river owner fisheries associations for not fishing. The fishing right in coastal areas was permanently bought out in 1997 by river owners with support from the government. From 1997 all salmon in Iceland were harvested in freshwater. The number of rods allowed and used in Icelandic salmon rivers has been stable since 1970. With stable effort the catch figures can to large extent be used as an indicator for changes in size of the salmon run. It can also be seen from the catch statistics that the salmon catch in rivers in the same area show similar fluctuations. Rivers where fish counters are operated show that exploitation remains stable over time although exploitation is slightly higher in years when the salmon run is low (Jonsson, Antonsson and Gudjonsson 2008, Gudbergsson and Antonsson 2008).

In Icelandic rivers the MSW salmon is dominated by 2SW fish. Longer sea phase than two years is rare and repeated spawning is in low percentages. The proportion of MSW fish is usually higher in rivers in the north and northeast Iceland than in the south and southwest regions. Since 1981-1983 the number of MSW salmon has been declining. This happened although the sex ratio of the run is stable with close to 65% females for MSW and 20% for 1SW for the period from 1973. That relates to higher mortality at the second year at sea in the later years (Gudbergsson and Gudjonsson 2003). The reason for this is not clear but this seems to relate to environmental conditions in the ocean (Gudjonsson et al. 1995). This might indicate changes in oceanic condition reflecting changes in the availability for food especially for salmon at their second year at sea. These changes have affected the catch in rivers with high proportion of 2SW salmon and also the size of the spawning stock since MSW salmon are dominated by females that have double the number of eggs to the 1SW females.

There are considerable fluctuations between years in the salmon catch in Iceland. Usually salmon catch in rivers in the same region show similar fluctuations. The size of the salmon run depends on the number of smolts produced in each river and their sea survival. It seems that common factors affect the production of smolts in the rivers in the same area and also the sea survival. Climatic factors are of seems to have strongest effects and significant correlation has been found between the catch of grilse and ocean temperature at the time the smolts are migrating in the spring or early summer (Scarnecchia 1984; Antonsson et al. 1996).

The exploitation rate in the rod fisheries, in Icelandic rivers, has been estimated 30-80% (Gudjonsson 1986). Recent information on exploitation in the rod fishery indicates that it can, in some rivers, be 50-60% for 1SW salmon and 60-80% for 2SW salmon (Gudjonsson et al. 1996, Jónsson et al. 2008). In rivers with fish counters it has been shown that the rod catch reflects the changes in stock size. Further studies on exploitation and the size of the spawning stock in Icelandic salmon rivers are needed.

The brown trout catch was generally stable for the first decade of the century past 12 with a decline for the past four years. Catch of Arctic charr on the other hand have shown a decrease from 2001. The decline in catch of Arctic charr is in all statistical area. The reasons for the decline in catch of Arctic charr are not known but can possibly relate to climate change. The mechanism for this is not fully understood and needs further studies. There are concerns that some Arctic charr stocks in Iceland do not have harvestable surplus. The fishing right owners should take the necessary precautions for decreasing or stopping the exploitation before the size of spawning stock and recruitment will become the limiting factor for the stock size.

Anglers are encouraged to record the trout and charr catch in the same manner as the salmon catch i.e. record each fish with information on length weight and sex of each fish etc. as listed in the log books. The catch record gives valuable information on fluctuation in fish stock and the compositions of the catches.

The status of the MSW salmon component is of major concern. The Institute of Freshwater Fisheries has encouraged the River Fisheries Associations to decrease the exploitation of the MSW salmon stock component.

### **Acknowledgements**

Many of the staff at the Institute of Freshwater Fisheries has contributed to the compilation of the catch statistics in 2013. We are in thankful to River Fishery Associations, fishing right owners, Angling syndicates and last but not least individual anglers that have contributed with recording their catch in the fishing log books.

### **References**

Antonsson, Th., Gudbergsson, G. and Gudjonsson, S. 1996. Environmental continuity in fluctuation of fish stocks in the North Atlantic Ocean, with particular reference to Atlantic salmon. *North American Journal of Fisheries Management* 16:540-547.

Gudbergsson, G. and Antonsson. Th. 2008. Tengsl stofnstærðar, sóknar og veiðihlutfalls hjá laxi í Elliðaánum. *Fræðapening landbúnaðarins* 5:242-249 (In Icelandic).

Gudbergsson, G. 2014. Lax- og silungsveiðin 2013. Report from The Institute of Freshwater Fisheries, VMST/14044. 37 pp. (In Icelandic).

Guðni Guðbergsson og Sigurður Guðjónsson 2003. Marine mortality of Atlantic salmon in Iceland. pp 110-114. In: *Marine mortality of Atlantic salmon, *Salmo salar* L: methods and measures.* E.C.E. Potter, N. Ó Maoiléidigh og G. Chaput (Eds.) Canadian Science Advisory Secretariat. Research Document 2003/101.

Gudjónsson, Th. 1986. Exploitation of Atlantic Salmon in Iceland. In: *Atlantic Salmon: Planning for the future.* (ed.) Derik Mills and David Piggins.

Gudjónsson, S. Einarsson, S.M., Antonsson, Th. and Gudbergsson, G. 1995. Relation of grilse/salmon ratio to environmental changes in several wild stocks of Atlantic salmon (*Salmo salar*) in Iceland. *Can. J. Fish. Aquat. Sci.* 52:1385-1398.

Ingi Rúnar Jónsson, Þórólfur Antonsson og Sigurður Guðjónsson 2008. Stofnstærð lax (*Salmo salar*) og bleikju (*Salvelinus alpinus*) í samhengi við veiði. Fræðaðing landbúnaðarins. 5:234-241.

Jonsson, I.R., Antonsson, Th. and Gudjonsson. S. 2008. Icel, Agric. Sci. 21:61-68.

Scarnecchia, D.L. 1983. Age of sexual maturity in Icelandic stocks of Atlantic salmon (*Salmo salar*). Can. J. Fish. Aquat. Sci., 40:1456-1468.

Scarnecchia, D.L. 1984. Climatic and oceanic variations affecting yield of Icelandic stocks of Atlantic salmon. Can. J. Fish. Aquat. Sci., 41: 917-935.

Scarnecchia, D.L. 1984. Forecasting yields of two-sea-winter Atlantic salmon (*Salmo salar*) from Icelandic Rivers. Can. J. Fish. Aquat. Sci., 8:1234-1240.

Scarnecchia, D.L., Isaksson, A., White, S.E. 1989. New and revised catch forecasts for two-sea-winter Atlantic salmon (*Salmo salar*) in Icelandic rivers. J. Appl. Ichthyol. 5:101-110.




Figure 1. Statistical regions for the Atlantic salmon, brown trout and Arctic charr catch in Iceland.








Figure 2. Salmon catch in rod and line fishery in Iceland 1974 - 2013. Catch landed (blue bars), catch and release (green bars) and catch in rivers with salmon fishery based mainly on smolt releases (red bars).




Figure 3. Salmon catch in gillnet fishery in Iceland 1974 - 2013.




Figure 4. Salmon catch landed, wild salmon in rod fishery (blue bars) and net fishery (green bars) 1974-2013.




Figure 5. Catch and catch and released brown trout in the rod fishery in Iceland 1987-2013.




Figure 6. Catch and catch and released Arctic charr in the rod fishery in Iceland 1987-2013.




Figure 7. The sea-age composition, by smolt cohort, of Atlantic salmon in rod catches in Icelandic rivers 1970-2013 (1SW = one-sea-winter, 2SW = two-sea-winter).




Figure 8. Percentage released salmon in the rod catch in Icelandic salmon rivers in 1996-2013 for the total catch and for wild salmon only.




Figure 9. Percentage released fish in the rod catch in Icelandic salmon rivers in 1999-2013 for 1SW and 2SW salmon in the total catch and for wild salmon only.




Figure 10. Percentage released brown trout and Arctic charr in the rod catch in Icelandic rivers and lakes in 1999-2013.

Table 1. Salmon catch, rod and line, in Icelandic rivers 2013.

Region	Salmon catch, rod and line											
	Catch	Released	Released	Released	Catch	Catch	Catch	MW	Catch	Catch	MW	Catch
	(number)	(number)	1SW (number)	2SW (number)	landed (number)	landed (kg)	1SW number	1SW (kg)	1SW (kg)	2SW (number)	2SW (kg)	2SW (kg)
Reykjanes	3627	888	798	90	2739	6409	2658	2,3	6029	81	4,7	380
Vesturland	25857	7708	6175	1533	18149	44536	17278	2,3	40538	871	4,6	3998
Vestfirðir	2325	482	340	142	1843	4890	1619	2,3	3797	224	4,9	1093
Norðurland vestra	12056	6817	5056	1761	5239	15476	4544	2,6	11713	695	5,4	3763
Norðurland eystra	3770	2201	1217	984	1569	4879	1173	2,4	2757	396	5,4	2122
Austurland	4093	2841	1667	1174	1252	3302	1039	2,1	2181	213	5,3	1121
Suðurland	16314	2196	1437	759	14118	36691	12236	2,3	27549	1882	4,9	9142
<b>Total</b>	<b>68042</b>	<b>23133</b>	<b>16690</b>	<b>6443</b>	<b>44909</b>	<b>116183</b>	<b>40547</b>	<b>2,3</b>	<b>94564</b>	<b>4362</b>	<b>5,0</b>	<b>21619</b>

Table 2. Salmon catch, nets, in Icelandic rivers 2013.

Region	Salmon catch, nets						Ranched	
	Catch	Catch	Catch	Catch	Catch	Catch	Catch	landed
	(number)	landed (kg)	1SW number	1SW (kg)	2SW (number)	2SW (kg)	(number)	(kg)
Reykjanes	0	0	0	0	0	0	0	0
Vesturland	184	427	176	408	8	19	0	0
Vestfirðir	17	48	17	48	0	0	0	0
Norðurland vestra	0	0	0	0	0	0	0	0
Norðurland eystra	39	118	27	62	12	56	0	0
Austurland	52	184	29	58	23	126	0	0
Suðurland	11291	29503	9947	24699	1344	4804	0	0
<b>Total</b>	<b>11583</b>	<b>30280</b>	<b>10196</b>	<b>25275</b>	<b>1387</b>	<b>5005</b>	<b>0</b>	<b>0</b>

Table 3. Total salmon catch in Icelandic rivers 2013, rod, gillnets and ranched.

Region	Salmon catch total (rod, nets and ocean ranched)						Percentage of total	
	Catch	Catch	Catch	Catch	Catch	Catch	Number	Weight
	(number)	landed (kg)	1SW number	1SW (kg)	2SW (number)	2SW (kg)	%	%
Reykjanes	2739	6409	2658	6029	81	380	4,8	4,4
Vesturland	18333	44963	17454	40946	879	4017	32,5	30,7
Vestfirðir	1860	4938	1636	3845	224	1093	3,3	3,4
Norðurland vestra	5239	15476	4544	11713	695	3763	9,3	10,6
Norðurland eystra	1608	4997	1200	2819	408	2178	2,8	3,4
Austurland	1304	3486	1068	2239	236	1247	2,3	2,4
Suðurland	25409	66194	22183	52248	3226	13946	45,0	45,2
<b>Total</b>	<b>56492</b>	<b>146463</b>	<b>50743</b>	<b>119839</b>	<b>5749</b>	<b>26624</b>	<b>100</b>	<b>100</b>

Table 4. Catch of brown trout and Arctic charr in rod and line fishery in Icelandic river and lakes in 2013.

Region	Catch - rod and line Brown trout (sea-run and stationary)				Catch - rod and line Arctic charr (sea-run and stationary)			
	Catch (number)	Catch and released	Catch landed (number)	Catch landed (kg)	Catch (number)	Catch and released	Catch landed (number)	Catch landed (kg)
Reykjanes	633	207	426	597	178	26	26	59
Vesturland	1409	223	1186	1364	393	70	323	272
Vestfirðir	34	4	30	34	1024	79	945	466
Norðurland vestra	7990	3642	4348	4144	4989	2537	2452	2199
Norðurland eystra	9595	5027	4568	5343	4529	1830	2699	2658
Austurland	610	141	469	402	3119	418	2701	2373
Suðurland	13389	1462	11927	18155	9223	189	9034	4337
<b>Total</b>	<b>33660</b>	<b>10706</b>	<b>22954</b>	<b>30039</b>	<b>23455</b>	<b>5149</b>	<b>18180</b>	<b>12364</b>

**Table 5.** The salmon catch in Iceland 1974-2013 in numbers of fish. Total rod catch, rod catch landed, catch and release, catch in rivers with rod catch based mainly on smolt releases, net catch, harvest in Ocean ranching and total catch of salmon as well as the percentage of released fish.

Year	Rod catch	Catch landed	Catch and release	Catch and release total (%)	Ranched rod catch	Catch and release Ranched rod	Catch landed Ranched rod	Rod catch wild salmon number	Rod catch landed Wild salmon	Catch and release Wild salmon	Catch and release Wild (%)	Net catch landed	Rod and net catch landed	Rod and net catch wild landed	Ocean ranched harvest	Total catch	Percentage Ranched in rod fishery
1974	34107	34107			29		29	34078	34078			18044	52151	52122	3765	55916	0,1
1975	45882	45882			57		57	45825	45825			20402	66284	66227	7720	74004	0,1
1976	39249	39249			95		95	39154	39154			17130	56379	56284	3247	59626	0,2
1977	41302	41302			46		46	41256	41256			20864	62166	62120	2405	64571	0,1
1978	52679	52679			82		82	52597	52597			25946	78625	78543	1953	80578	0,2
1979	43955	43955			98		98	43857	43857			18306	62261	62163	1967	64228	0,2
1980	30007	30007			65		65	29942	29942			18992	48999	48934	3138	52137	0,2
1981	27777	27777			80		80	27697	27697			14478	42255	42175	4626	46881	0,3
1982	24671	24671			65		65	24606	24606			11107	35778	35713	5340	41118	0,3
1983	29267	29267			22		22	29245	29245			17761	47028	47006	11194	58222	0,1
1984	23582	23582			10		10	23572	23572			10912	34494	34484	6595	41089	0,0
1985	31621	31621			17		17	31604	31604			14942	46563	46546	19750	66313	0,1
1986	46671	46671			78		78	46593	46593			20437	67108	67030	24100	91208	0,2
1987	33907	33907			32		32	33875	33875			13960	47867	47835	14140	62007	0,1
1988	47979	47979			53		53	47926	47926			18781	66760	66707	64017	130777	0,1
1989	30082	30082			80		80	30002	30002			11738	41820	41740	48617	90437	0,3
1990	29443	29443			1622		1622	27821	27821			12339	41782	40160	90726	132508	5,5
1991	31492	31492			453		453	31039	31039			10454	41946	41493	133203	175149	1,4
1992	42309	42309			521		521	41788	41788			12062	54371	53850	140763	195134	1,2
1993	39025	39025			1041		1041	37984	37984			10197	49222	48181	168427	217649	2,7
1994	28042	28042			1576		1576	26466	26466			11846	39888	38312	89225	129113	5,6
1995	34241	34241			1523		1523	32718	32718			13185	47426	45903	88527	135953	4,4
1996	29436	28767	669	2,3	1298	0	1298	28138	27469	669	2,4	8668	37435	36137	84365	121800	4,4
1997	28640	27082	1558	5,4	2960	5	2955	25680	24127	1553	6,0	5735	32817	29862	15248	48065	10,3
1998	40286	37460	2826	7,0	3848	16	3832	36438	33628	2810	7,7	5939	43399	39567	11223	54622	9,6
1999	31438	28383	3055	9,7	2536	2	2534	28902	25849	3053	10,6	6657	35040	32506	9648	44688	8,1
2000	27257	24339	2918	10,7	3744	24	3720	23513	20619	2894	12,3	4170	28509	24789	375	28884	13,7
2001	29943	26332	3611	12,1	5466	25	5441	24477	20891	3586	14,7	3043	29375	23934	0	29375	18,3
2002	33767	27782	5985	17,7	1791	31	1760	31976	26022	5954	18,6	4583	32365	30605	0	32365	5,3
2003	34111	28750	5361	15,7	3443	165	3278	30668	25472	5196	16,9	7582	36332	33054	0	36332	10,1
2004	45831	38469	7362	16,1	6285	165	6120	39546	32349	7197	18,2	6742	45211	39091	0	45211	13,7
2005	55168	45944	9224	16,7	7413	228	7185	47755	38759	8996	18,8	7560	53504	46319	0	53504	13,4
2006	45545	36810	8735	19,2	6977	92	6885	38568	29925	8643	22,4	5953	42763	35878	0	42763	15,3
2007	53703	44012	9691	18,0	15053	432	14621	38650	29391	9259	24,0	6826	50838	36217	0	50838	28,0
2008	84124	66946	17178	20,4	29268	2469	26799	54856	40147	14709	26,8	9403	76349	49550	0	76349	34,8
2009	74408	56894	17514	23,5	18884	925	17959	55524	38935	16589	29,9	9607	66501	48542	0	66501	25,4
2010	74961	53485	21476	28,6	17911	1231	16680	57050	36805	20245	35,5	15903	69388	52708	0	69388	23,9
2011	55706	38867	16839	30,2	13417	1372	12045	42289	26822	15467	36,6	8729	47596	35551	0	47596	24,1
2012	34786	25034	9752	28,0	9244	310	8934	25542	16100	9442	37,0	3759	28793	19859	0	28793	26,6
2013	68042	44909	23133	34,0	12009	203	11806	56033	33103	22930	40,9	11583	56492	44686	0	56492	17,6
<b>Average</b>																	
<b>1974-2012</b>	<b>40324</b>	<b>36541</b>	<b>8456</b>	<b>17</b>	<b>4136</b>	<b>428</b>	<b>3938</b>	<b>36188</b>	<b>32602</b>	<b>8844</b>	<b>21,1</b>	<b>11755</b>	<b>48296</b>	<b>44357</b>	<b>27646</b>	<b>75941</b>	
<b>1974-2013</b>	<b>40861</b>	<b>36689</b>	<b>9272</b>	<b>18</b>	<b>4230</b>	<b>428</b>	<b>4037</b>	<b>36631</b>	<b>32651</b>	<b>8844</b>	<b>21,1</b>	<b>11908</b>	<b>48597</b>	<b>44560</b>	<b>26358</b>	<b>74955</b>	
<b>2003-2012</b>	<b>55834</b>	<b>43521</b>	<b>12313</b>	<b>22</b>	<b>12790</b>	<b>739</b>	<b>12051</b>	<b>43045</b>	<b>31471</b>	<b>11574</b>	<b>26,6</b>	<b>8206</b>	<b>51728</b>	<b>39677</b>	<b>0</b>	<b>51728</b>	





Table 6. Top 10 lists of salmon rivers in 2012 including catch landed and catch and released and for catch landed only.

No	River	Catch Number <sup>1</sup>	No	River	Catch landed (Number)
1	Ytri-Rangá	4242	1	Ytri-Rangá	4227
2	Eystri-Rangá	3004	2	Eystri-Rangá	3004
3	Miðfjarðará	1610	3	Langá	967
4	Selá í Vopnafirði	1511	4	Hvítá í Borgarfirði	851
5	Haffjarðará	1164	5	Blanda	803
6	Langá	1090	6	Norðurá	689
7	Hofsá og Sunnudalsá	1018	7	Ellidáur	629
8	Norðurá	953	8	Bverá og Kjarra	605
9	Hvítá í Borgarfirði	881	9	Haukadalsá neðri	495
10	Blanda	843	10	Hítará	475

<sup>1</sup> includes catch and release

Table 7. Top 10 list of river or lakes with brown trout in 2013 including both migratory and stationary fish stocks.

No	River or Lake	Brown trout catch <sup>1</sup>
1	Lake Veidivötn	13764
2	River Laxá í Þing ofan Brúa	4853
3	River Fremri Laxá á Ásum	3199
4	River Vatnsdalsá	2371
5	River Litláá	1719
6	River Reykjadalssá, Eyvindarl.	1659
7	River Grenlækur, Jónskvís og Sýrlækur	1099
8	River Hróarholtslækur	756
9	River Laxá í Aðaldal	707
10	River Húseyjarkvísl	703

<sup>1</sup> Includes catch landed and catch and release

Table 8. Top 10 list of river or lakes with Arctic charr in 2013 including both migratory and stationary fish stocks.

No	River or Lake	Arctic charr catch <sup>1</sup>
1	Lake Veidivötn	6864
2	River Víðidalsá og Fitjá	1524
3	River Norðfjarðará	1124
4	River Fljótaá	1022
5	Lake Hlíðarvatn	930
6	Lake Skjálftavatn	786
7	River Brúará og Hagaós	618
8	River Gufudalsá	618
9	River Vatnsdalsá	570
10	River Hörgá	557

<sup>1</sup> Includes catch landed and catch and release

**Table 9.** Number and weight in the rod catch in Reykjanes 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (1SW)					Salmon (2SW)					Brown trout					Arctic charr							
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	Weight Landed	MW	Catch	Landed	Released	% Released	Weight Landed	MW	
Elliðaár	1122	253	869	2112	2,4	1092	851	241	22,1	2,4	30	18	12	40,0	4,7	203	107	96	0,0	76	0,7	0	0	0	0,0	0	0,0	
Elliðavatn *													0															
Úlfarsá (Korpa)	225	28	197	452	2,3	223	195	28	12,6	2,3	2	2	0	0,0	4,0	39	39	0	0,0	57	1,5						0	0,0
Leirvogsa	599	14	585	1251	2,1	586	572	14	2,4	2,1	13	13	0	0,0	4,5	71	4	67	94,4	6	1,5	0	0	0	0,0	0	0,0	
Blikdalsá	13	0	13	27	2,0	13	13	0	0,0	2,0	0	0	0	0,0	0,0	0	0	0	0,0	0	0,0	0	0	0	0,0	0	0,0	
Kiðafellsá *				0					0				0															
Laxá í Kjós	1036	359	677	1584	2,3	957	662	295	30,8	2,3	79	15	64	81,0	4,8	69	48	21	30,4	274	5,7	0	0	0	0,0	0	0,0	
Bugða	245	210	35	91	2,6	231	33	198	85,7	2,5	14	2	12	85,7	4,6	2	2	0	0,0	2	0,8	0	0	0	0,0	0	0,0	
Meðalfellsva *				0					0				0															
Brynjudalsá	198	13	185	494	2,7	179	167	12	6,7	2,4	19	18	1	5,3	4,8	23	23	0	0	2	1,2	0	0	0	0,0	0	0,0	
Botnsá	189	11	178	399	2,2	175	165	10	5,7	2,1	14	13	1	7,1	4,7	16	15	1	6,25	24	1,6					0	0,0	
Djúpavatn §				0												210	188	22	10,5	132	0,7	178	152	26	0,0	69	0,4	
<b>Reykjanes Total</b>	<b>3627</b>	<b>888</b>	<b>2739</b>	<b>6409</b>	<b>2,3</b>	<b>3456</b>	<b>2658</b>	<b>798</b>	<b>23,1</b>	<b>0,0</b>	<b>171</b>	<b>81</b>	<b>90</b>	<b>52,6</b>	<b>0</b>	<b>633</b>	<b>426</b>	<b>207</b>	<b>48,6</b>	<b>571</b>	<b>1,3</b>	<b>178</b>	<b>152</b>	<b>26</b>	<b>0,0</b>	<b>69</b>	<b>0,0</b>	

\* no records

§ In Lake Djúpavatn 85 of the recorded 210 brown trout was rainbow trout

**Table 10.** Number and weight in the rod catch in Vesturland 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (1SW)					Salmon (2SW)					Brown trout					Arctic charr							
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	Weight Landed	MW	Catch	Landed	Released				% Released
Vötn í Svinadal *																												
Selós og Þverá	72	0	72	158	2,2	71	71	0	0,0	2,2	1	1	0	0,0	5,0	100	98	2	2,0	116	1,2	0	0	0	0,0	0	0,0	
Laxá í Leirársveit	1008	284	724	1824	2,5	931	704	227	24,4	2,5	77	20	57	74,0	4,4	90	80	10	11,1	130	1,6	5	5	0	0,0	4	0,7	
Leirá í Leirársveit	45	5	40	96	2,4	44	39	5	11,4	2,4	1	1	0	0,0	4,1	14	11	3	21,4	5	0,5	0	0	0	0,0	0	0,0	
Hafnará *																												
Hvítá efrni hluti	74	0	74	172	2,3	71	71	0	0,0	2,4	3	3	0	0,0	4,5	0	0	0	0,0	0	0,0	26	4	22	84,6	4	0,9	
Hvítá í Borg, neðrihl.	28	0	28	65	2,3	27	27	0	0,0	2,4	1	1	0	0,0	4,5	15	15	0	0,0	11	0,7	2	2	0	0,0	1	0,6	
Hvítá í Borgarfirði &	1184	84	1100	2684	2,4	1101	1050	51	4,6	2,4	83	50	33	39,8	4,5	421	406	15	3,6	406	1,0	26	3	23	88,5	3	1,1	
Gufuá	218	16	202	428	2,1	218	202	16	7,3	2,0	0	0	0	0,0	0,0	13	13	0	0,0	18	1,4	0	0	0	0,0	0	0,0	
Andakilsá	374	20	354	892	2,5	351	338	13	3,7	2,5	23	16	7	30,4	4,4	1	1	0	0,0	2	1,5	1	1	0	0,0	1	1,1	
Grímsá og Tunguá	1625	972	653	1561	2,4	1501	636	865	57,6	2,6	124	17	107	86,3	4,7	102	23	79	77,5	63	2,8	7	3	4	57,1	5	1,5	
Flókadalsá	937	88	849	1927	2,3	905	820	85	9,4	2,2	32	29	3	9,4	4,0	2	2	0	0,0	2	1,0	0	0	0	0,0	0	0,0	
Reykjadalsá	297	3	294	759	2,6	277	274	3	1,1	2,5	20	20	0	0,0	4,1	26	23	3	11,5	26	1,1	0	0	0	0,0	0	0,0	
Þverá og Kjarra	3243	1625	1618	4272	2,6	2802	1542	1260	45,0	2,5	441	76	365	82,8	4,6	26	22	4	15,4	27	1,2	0	0	0	0,0	0	0,0	
Litla-Þverá	123	41	82	221	2,7	110	79	31	28,2	2,5	13	3	10	76,9	4,1	2	2	0	0,0	3	1,5	0	0	0	0,0	0	0,0	
Norðurá	3505	1040	2465	6064	2,5	3275	2442	833	25,4	2,4	230	23	207	90,0	4,3	31	31	0	0,0	43	1,4	2	2	0	0,0	2	0,8	
Norðlingafliót	541	68	473	1173	2,5	486	433	53	10,9	2,3	55	40	15	27,3	4,7	5	5	0	0,0	8	1,6	0	0	0	0,0	0	0,0	
Gljúfurá	569	25	544	1322	2,4	543	520	23	4,2	2,3	26	24	2	7,7	5,6	25	25	0	0,0	24	1,0	0	0	0	0,0	0	0,0	
Langá	2815	488	2327	5468	2,4	2710	2261	449	16,6	2,3	105	66	39	37,1	5,1	6	5	1	16,7	7	1,3	15	15	0	0,0	28	1,9	
Urriðá	128	20	108	262	2,4	127	107	20	15,7	2,4	1	1	0	0,0	4,0	64	63	1	1,6	69	1,1	1	1	0	0,0	1	1,0	
Álfhá og Veita	664	40	624	1548	2,5	624	594	30	4,8	2,4	40	30	10	25,0	4,1	110	108	2	1,8	134	1,2	2	2	0	0,0	2	0,8	
Hítará	1107	139	968	2449	2,5	1010	929	81	8,0	2,4	97	39	58	59,8	4,8	11	11	0	0,0	16	1,5	6	6	0	0,0	9	1,5	
Haffjarðará	2156	1764	392	1070	2,7	1646	341	1305	79,3	2,5	510	51	459	90,0	4,5	141	74	67	47,5	81	1,1	12	1	11	91,7	2	1,5	
Núpa í Eyjahreppi #																												
Laxá í Miklaholtshr. *																												
Straumfjarðará	789	143	646	1466	2,3	717	640	77	10,7	2,3	72	6	66	91,7	3,8	0	0	0	0,0	0	0,0	0	0	0	0,0	0	0,0	
Vatnasvæði Lýsu	7	0	7	16	2,3	7	7	0	0,0	2,3	0	0	0	0,0	0,0	25	25	0	0,0	33	1,3	0	0	0	0,0	0	0,0	

**Table 10 (continued).** Number and weight in the rod catch in Vesturland 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (1SW)					Salmon (2SW)					Brown trout					Arctic charr						
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	Weight Landed	MW	Catch	Landed	Released	% Released	Weight Landed	MW
Staðará *																											
Gríshólsá og Bakká	113	84	29	66	2,3	99	26	73	26,3	2,0	14	3	11	21,4	4,3	88	59	29	67,0	29	1,0	25	18	7	28,0	15	0,8
Órlygsstaða-Kársst.*			0										0														
Fróðá	188	123	65	128	2,0	181	65	116	64,1	2,0	7	0	7	100,0	5,1	19	16	3	0,0	10	0,6	4	4	0	0,0	3	0,7
Valshamarsá	7	0	7	12	1,8	7	7	0	0,0	1,8	0	0	0	0,0	0,0	5	5	0	0,0	4	0,7	0	0	0	0	0	0,0
Setbergsá	152	16	136	332	2,4	146	134	12	8,2	2,4	6	2	4	0,0	5,3	2	1	0	0,0	1	0,5	1	1	0	0	1	1,0
Stóra-Langadalsá #																											
Laxá á Skógarströnd	210	52	158	357	2,3	208	157	51	24,5	2,3	2	1	1	0,0	3,5	6	6	0	0,0	9	1,6	1	1	0	0	1	1,0
Svína fossá	154	115	39	96	2,5	148	39	109	73,6	2,4	6	0	6	0,0	5,4	17	17	0	0,0	13	0,8	0	0	0	0	0	0,0
Dunká	127	5	122	293	2,4	124	119	5	4,0	2,3	3	3	0	0,0	4,8	0	0	0	0,0	0	0,0	0	0	0	0	0	0,0
Hörðudalsá	73	13	60	165	2,8	62	49	13	21,0	2,3	11	11	0	0,0	4,9	0	0	0	0,0	0	0,0	44	43	1	2,3	28	0,7
Skrauma #																											
Miðá og Tunguá	696	34	662	1728	2,6	582	552	30	5,2	2,2	114	110	4	3,5	4,9	0	0	0	0,0	0	0,0	56	56	0	0	49	0,9
Haukadalsá nedri	503	241	262	655	2,5	423	187	236	55,8	2,5	80	75	5	6,3	4,4	1	1	0	0,0	1	1,0	11	11	0	0	4	0,4
Haukadalsá efri	18	1	17	58	3,4	11	10	1	9,1	2,5	7	7	0	0,0	4,7	1	1	0	0,0	1	0,5	95	95	0	0,0	74	0,8
Laxá í Dölum	710	38	672	1693	2,5	634	611	23	3,6	2,3	76	61	15	19,7	4,7	8	8	0	0,0	13	1,6	5	5	0	0	5	1,1
Ljá *																											
Ljárskógurvötn *																											
Fáskrúð	249	33	216	525	2,4	235	207	28	11,9	2,4	14	9	5	35,7	4,3	1	1	0	0,0	1	1,0	1	1	0	0	1	0,5
Glerá *																											
Laxá í Hvammsveit	94	10	84	198	2,4	83	74	9	10,8	2,1	11	10	1	0,0	4,3	2	2	0	0,0	2	1,0	6	6	0	0	3	0,6
Flekkudalsá	173	4	169	385	2,3	167	163	4	2,4	2,2	6	6	0	0,0	4,2	16	15	1	6,3	14	1,0	0	0	0	0	0	0,0
Krossá	226	12	214	426	2,0	222	212	10	4,5	2,0	4	2	2	50,0	3,8	10	8	2	20,0	6	0,8	6	5	1	16,7	5	1,0
Búðardalsá	435	58	377	973	2,6	380	356	24	6,3	2,4	55	21	34	61,8	4,5	3	3	0	0,0	5	1,8	0	0	0	0	0	0,0
Staðarhólsá og Hvolsá	220	4	216	549	2,5	187	183	4	2,1	2,2	33	33	0	0,0	4,6	0	0	0	0,0	0	0,0	33	32	1	3,0	22	0,7
<b>Vesturland Total</b>	<b>25857</b>	<b>7708</b>	<b>18149</b>	<b>44536</b>	<b>2,5</b>	<b>23453</b>	<b>17278</b>	<b>6175</b>	<b>26,3</b>		<b>2404</b>	<b>871</b>	<b>1533</b>	<b>63,8</b>		<b>1409</b>	<b>1186</b>	<b>222</b>	<b>15,8</b>	<b>1332</b>	<b>1,1</b>	<b>393</b>	<b>323</b>	<b>70</b>	<b>17,8</b>	<b>271</b>	<b>0,8</b>

\* no records

& Hvítá í Borgarfirði, combined for: Brenna, Svarthöfði, Straumar, Skuggi, Ferjukot-Norðurkot.

# River closed for all fishery

**Table 11.** Number and weight in the rod catch in Vestfirðir 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (1SW)					Salmon (2SW)					Brown trout					Arctic charr						
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	Weight Landed	MW	Catch	Landed	Released	% Released	Weight Landed	MW
Gufudalsá	30	0	30	72	2,4	27	27	0	0,0	2,3	3	3	0	0,0	4,3	1	1	0	0	1	1,0	618	557	61	9,9	273	0,5
Porskafljarðará	20	3	17	39	2,3	17	16	1	5,9	2,2	3	1	2	66,7	5,2	7	7	0	0	11	1,5	40	33	7	17,5	18	0,6
Vatnsdalsá í Vatnsfirði	103	62	41	134	3,3	62	29	33	53,2	2,3	41	12	29	70,7	5,4	0	0	0	0	0	0,0	19	10	9	47,4	13	1,3
Fjarðarhornsá	236	82	154	390	2,5	205	133	72	35,1	2,2	31	21	10	32,3	4,5	0	0	0	0	0	0,0	31	31	0	0,0	19	0,6
Skálmardalsá	8	0	8	16	2,1	8	8	0	0,0	2,1	0	0	0	0,0	0,0	0	0	0	0	0	0,0	193	193	0	0,0	112	0,6
Mórudalsá *																											
Suðurfossá	85	3	82	69	2,5	79	76	3	3,8	2,3	6	6	0	0,0	4,3	1	1	0	0,0	1	0,5	0	0	0	0,0	0	0,0
Staðará í Súgandafirði	103	63	40	110	2,8	84	37	47	56,0	2,5	19	3	16	84,2	6,3	1	1	0	0,0	3	2,7	2	2	0	0,0	2	1,0
Fljótafjök *																											
Heydalsá *																											
Fossá í Skutulsfirði *																											
Langadalsá	475	160	315	825	2,6	387	289	98	25,3	2,4	88	26	62	70,5	4,8	2	2	0	0,0	2	0,8	6	5	1	16,7	5	1,0
Ísafjarðará	119	0	119	276	2,3	109	109	0	0,0	2,1	10	10	0	0,0	4,6	1	1	0	0,0	2	1,5	4	4	0	0,0	2	0,5
Laugardalsá	404	35	369	959	2,6	379	350	29	7,7	2,5	25	19	7	28,0	4,9	13	9	4	0,0	10	1,1	2	2	0	0,0	2	1,0
Laugardalsvatn *				0																							
Hvannadalsá	213	46	167	459	2,8	182	144	38	20,9	2,4	31	23	8	25,8	5,1	1	1	0	0	1	1,0	0	0	0	0,0	0	0,0
Selá í Ísafjarðardjúpi	0	0	0	0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0,0	0	0	0	0	0	0,0	0	0	0	0,0	0	0,0
Bjarnarfjarðará	5	0	5	14	2,7	5	5	0	0,0	2,7	0	0	0	0,0	0,0	0	0	0	0	0	0,0	53	52	1	0,0	70	1,3
Hvalsá *																											
Selá í Steingrímsf.	30	0	30	88	2,9	22	22	0	0,0	2,4	8	8	0	0,0	4,3	0	0	0	0	0	0,0	40	40	0	0,0	53	1,3
Staðará í Steing.				0																							
Miðdalsá *				0																							
Víðdalsá, Þverá, Húsa	162	3	159	593	3,7	122	119	3	2,5	2,3	40	40	0	0,0	4,7	0	0	0	0	0	0,0	0	0	0	0,0	0	0,0
Hrófá *																											
Prestbakkaá	72	0	72	166	2,3	71	71	0	0,0	2,3	1	1	0	0,0	5,0	3	3	0	0	0	0,6						
Krossá	94	3	91	222	2,4	84	84	0	0,0	2,2	10	7	3	30,0	5,6	2	2	0	0	2	0,8	8	8	0	0,0	5	0,6
Víkurá	131	1	130	417	3,2	87	87	0	0,0	2,3	44	43	1	2,3	5,1	0	0	0	0	0	0,0	8	8	0	0,0	4	0,4
Laxá í Hrótafirði	35	21	14	33	2,4	29	13	16	55,2	2,2	6	1	5	0,0	5,0	2	2	0	0	2	1,0	0	0	0	0,0	0	0,0
<b>Vestfirðir Total</b>	<b>2325</b>	<b>482</b>	<b>1843</b>	<b>4884</b>	<b>2,7</b>	<b>1959</b>	<b>1619</b>	<b>340</b>	<b>17,4</b>		<b>366</b>	<b>224</b>	<b>142</b>	<b>38,8</b>		<b>34</b>	<b>30</b>	<b>4</b>	<b>13,3</b>	<b>32</b>	<b>1,1</b>	<b>1024</b>	<b>945</b>	<b>79</b>	<b>7,7</b>	<b>577</b>	<b>0,61</b>

\* no records

**Table 12.** Number and weight in the rod catch in Norðurlandi vestra 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (ISW)					Salmon (ZSW)					Brown trout					Arctic charr							
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	%	MW	Catch	Landed	Released	%	MW	Catch	Landed	Released	%	Weight Landed	MW	Catch	Landed	Released	%	Weight Landed	MW	
Hrútafjarðará og Síká	701	190	511	1380	2,7	597	472	125	20,9	2,5	104	39	65	62,5	5,0	2	1	1	0,0	0,0	2	1,8	33	5	28	84,8	9,2	1,8
Tjarnará *																												
Hamarsá	11	1	10	26	2,6	10	9	1	10,0	2,1	1	1	0	0,0	7,5	1	1	0	0,0	0,5	0,5	30	30	0	0,0	12	0,4	
Miðfjarðará	3659	3292	367	1053	2,9	2885	335	2550	88,4	2,7	774	32	742	95,9	4,9	0	0	0	0,0	0	0,0	0	0	0	0,0	0	0,0	
Amarv.-Stóra og Austurá																468	427	41	8,8	495	1,2	140	132	8	5,7	169	1,3	
Viðdalsá og Fitjá	913	486	427	1255	2,9	653	400	253	38,7	2,7	260	27	233	89,6	6,8	294	15	279	94,9	29	1,9	1524	64	1460	95,8	85	1,3	
Vatnsdalsá	1194	1078	116	368	3,2	888	97	791	89,1	2,6	306	19	287	93,8	6,0	1962	39	1923	98,0	42	1,1	570	13	557	97,7	13	1,0	
Citjá %				0																								
Cljúfurá	68	67	1	3	3,2	56	1	55	98,2	2,9	12	0	12	100,0	4,5	75	4	71	94,7	6	1,4	325	8	317	97,5	10	1,3	
Laxá á Ásum	1063	817	246	669	2,7	907	239	668	73,6	2,7	156	7	149	95,5	4,1	14	1	13	0,0	1	1,0	5	0	5	100,0	0	1,0	
Fremri Laxá á Ásum	47	8	39	101	2,6	44	36	8	18,2	2,4	3	3	0	0,0	5,0	3112	2505	607	19,5	1954	0,8	0	0	0	0,0	0	0,0	
Blanda	2612	216	2396	7452	3,1	2074	1913	161	7,8	2,5	538	483	55	10,2	5,4	52	2	50	96,2	3	1,5	19	7	12	63,2	8	1,1	
Svartá	366	71	295	785	2,7	319	275	44	13,8	2,5	47	20	27	57,4	5,7	57	11	46	80,7	14	1,3	21	0	21	100,0	0	1,4	
Langavatn á Refas. *				0																								
Seyðisá *				0																								
Blöndulón *				0																								
Laxá á Refasveit €	475	35	440	1188	2,7	414	410	4	1,0	2,5	61	30	31	50,8	5,7	10	10	0	0,0	10	1,0	5	5	0	0,0	5	1,0	
Hallá *																												
Laxá í Nesjum	14	6	8	16	2,0	13	8	5	38,5	2,0	1	0	1	100,0	5,0	0	0	0	0,0	0	0,0	0	0	0	0,0	0	0,0	
Fossá á Skaga	43	0	43	117	2,7	40	40	0	0,0	2,6	3	3	0	0,0	4,7	0	0	0	0,0	0	0,0	2	2	0	0,0	1	0,5	
Laxá á Skaga #																												
Svartá o. Reykjafoss																546	511	35	6,4	0	0,8							
Húseyjarkvísl	371	245	126	462	3,7	268	117	151	56,3	3,0	103	9	94	91,3	5,1	678	108	570	84,1	436	4,0	5	1	4	80,0	1	1,0	
Sæmundará	242	74	168	464	2,8	199	154	45	22,6	2,6	43	14	29	67,4	4,3	110	107	3	2,7	159	1,5	38	38	0	0,0	22	0,6	
Norðurá í Skagafirði																1	1	0	0,0	1	1,0	1	1	0	0,0	1	1,0	
Héraðsvötn *																												
Hofsá Vesturdal																						17	11	6	35,3	8	0,7	
Hjaltadalsá og Kolka #																												
Hofsá, Unadalsá																						61	61	0	0,0	49	0,8	
Grafar *																												
Hrollleifsdalsá	7	0	7	17	2,5	6	6	0	0,0	2,2	1	1	0	0,0	4,0	71	69	2	2,8	71	1,0	210	203	7	3,3	142	0,7	
Flókadalsá efri	3	0	3	8	2,5	3	3	0	0,0	2,5	0	0	0	0,0	0,0	4	4	0	0,0	6	1,6	445	438	7	1,6	438	1,0	
Flókadalsá neðri	24	0	24	78	3,3	18	18	0	0,0	2,6	6	6	0	0,0	5,3	525	525	0	0,0	520	1,0	516	515	1	0,2	299	0,6	
Fljótaá	243	231	12	34	2,9	206	11	195	94,7	2,7	37	1	36	97,3	4,2	8	7	1	0,0	11	1,5	1022	918	104	10,2	927	1,0	
<b>Norðurland vestra Total</b>	<b>12056</b>	<b>6817</b>	<b>5239</b>	<b>15476</b>	<b>3,0</b>	<b>9600</b>	<b>4544</b>	<b>5056</b>	<b>52,7</b>		<b>2456</b>	<b>695</b>	<b>1761</b>	<b>71,7</b>		<b>7990</b>	<b>4348</b>	<b>3642</b>	<b>45,6</b>	<b>3761</b>	<b>0,9</b>	<b>4989</b>	<b>2452</b>	<b>2537</b>	<b>50,9</b>	<b>2199</b>	<b>0,9</b>	

\* no records

% Recorded with River Vatnsdalsá

€ Logbook was lost

## Logbook lost, total catch known

**Table 13.** Number and weight in the rod catch in Norðurlandi eystra 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (ISW)					Salmon (2SW)					Brown trout					Arctic charr							
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	Released	MW	Catch	Landed	Released	Released	MW	Catch	Landed	Released	Released	Weight Landed	MW	Catch	Landed	Released	Released	Weight Landed	MW	
Fjarðará í Siglufirði *																												
Ólafsfjarðará	0	0	0	0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0		415	350	65	15,7	256	0,7	
Svarfaðardalsá	2	0	2	6	3,1	1	1	0	100,0	2,5	1	1	0	100,0	3,7	79	72	7	8,9	63	0,9	357	354	3	0,8	297	0,8	
Héðinsfjarðará																						168	154	14	8,3	166	1,1	
Héðinsfjarðarvatn																						185	185	0	0,0	133	0,7	
Dorvaldsdalsá *																												
Hörgá	3	0	3	6	1,9	3	3	0	100,0	1,9	0	0	0	0,0	0,0	221	183	38	17,2	161	0,9	557	512	45	0,0	486	1,0	
Eyrafjarðará	7	1	6	24	4,0	3	3	0	100,0	2,0	4	3	1	75,0	5,9	343	276	67	19,5	425	1,5	235	108	127	54,0	135	1,3	
Fnjóská	408	50	358	1174	3,3	283	254	29	89,8	2,4	125	104	21	83,2	5,5	203	193	10	4,9	193	1,0	260	247	13	5,0	343	1,4	
Bakkaá í Fnjóskadal	0	0	0	0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0,0	8	6	2	25,0	5	0,8	36	17	19	52,8	24	1,4	
Fnjóská Bleikjasmýrdal	0	0	0	0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0,0	54	51	3	5,6	57	1,1	73	28	45	61,6	31	1,1	
Fjarðará í Hvalvatnsf.	0	0	0	0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0	0,0	50	50	0	0,0	41	0,8	
Diúpá	36	3	33	101	3,1	28	26	2	92,9	2,2	8	7	1	87,5	6,4	2	2	0	0,0	3	1,5	36	33	3	0,0	41	1,3	
Skjálfandafljót A-deild	344	2	342	1118	3,3	229	229	0	100,0	2,3	115	113	2	98,3	5,2	48	42	6	12,5	38	0,9	306	292	14	0,0	231	0,8	
Skjálfandafljót B-deild	155	22	133	438	3,3	109	92	17	84,4	2,6	46	41	5	89,1	4,8	0	0	0	0,0	0	0,0	0	0	0	0,0	0	0,0	
Laxá í Aðaldal	1008	900	108	447	4,1	610	67	543	11,0	2,8	398	41	357	10,3	6,4	728	382	346	47,5	424	1,1	2	1	1	0,0	1	1,0	
Laxá í Þing o. Brúna																4014	1843	2171	54,1	2506	1,4	6	3	3	50,0	4	1,2	
Amarvatnsá og Helluvaðsá																553	23	530	95,8	29	1,3	2	1	0	0,0	1	1,0	
Kráka *																												
Gautlandalækur																15	14	1	6,7	19	1,3	10	6	4	40,0	7	1,1	
Reykjadalsá, Eyvindarl.	33	19	14	41	2,9	22	7	15	31,8	2,7	11	7	4	63,6	4,8	1389	1072	317	22,8	815	0,8	0	0	0	0,0	0	0,0	
Mýrarkvísl	48	41	7	25	3,6	7	7	0	100,0	2,7	41	0	41	0,0	0,0	14	14	0	0,0	14	1,0	0	0	0	0,0	0	0,0	
Litlaá	8	5	3	9	2,9	6	3	3	50,0	2,5	2	0	2	0,0	4,6	1392	27	1365	98,1	45	1,7	377	4	373	0,0	8	2,0	
Skjálfvatn																97	97	0	0,0	280	2,9	786	3	783	99,6	6	1,9	
Brunná	2	2	0	0	0,0	2	0	2	0,0	0,0	0	0	0	0,0	0,0	143	15	128	89,5	16	1,1	329	45	284	86,3	99	2,2	
Deildará	135	7	128	320	2,5	110	109	1	99,1	2,1	25	19	6	76,0	4,7	127	127	0	0,0	98	0,8	46	46	0	0,0	28	0,6	
Ormarsá	437	307	130	381	2,9	298	107	191	35,9	2,4	139	23	116	16,5	5,2	104	84	20	19,2	99	1,2	208	187	21	10,1	224	1,2	
Ólafsvatn Melrakkaslétu																5	5	0	0,0	5	1,0	2	2	0	0,0	2	1,0	
Rífs hæðarvatn Melrakkaslétu																5	5	0	0,0	3	0,7	6	6	0	0,0	3	0,5	
Svalbarðsá	306	291	15	32	2,1	181	14	167	7,7	1,9	125	1	124	0,8	5,7	27	16	11	40,7	16	1,0	17	10	7	41,2	27	2,7	
Sandá	322	234	88	260	3,0	180	73	107	40,6	2,4	142	15	127	10,6	5,6	5	4	0	0,0	4	1,1	3	3	0	0,0	2	0,7	
Hafralónsá	354	232	122	299	2,5	222	112	110	50,5	2,2	132	10	122	7,6	5,6	1	1	0	0,0	1	1,0	47	42	5	10,6	55	1,3	
Kverká	26	13	13	42	3,2	15	8	7	53,3	2,4	11	5	6	45,5	4,4	2	2	0	0,0	1	1,0	0	0	0	0,0	0	0,0	
Hölná	136	72	64	158	2,5	81	58	23	71,6	2,2	55	6	49	10,9	4,6	0	0	0	0,0	0	0,0	7	7	0	0,0	5	0,7	
Bakkaá (v.f. Sandvíkur) *																												
Lónsá og Sauðanesá	0	0	0	0	0,0	0	0	0	0,0	0,0	0	0	0	0,0	0,0	16	12	4	0,0	22	1,9	3	3	0	0,0	3	1,0	
<b>Norðurland eystra Total</b>	<b>3770</b>	<b>2201</b>	<b>1569</b>	<b>4879</b>	<b>3,1</b>	<b>2390</b>	<b>1173</b>	<b>1217</b>	<b>50,9</b>		<b>1380</b>	<b>396</b>	<b>984</b>	<b>71,3</b>		<b>9595</b>	<b>4568</b>	<b>5027</b>	<b>52,4</b>	<b>5342</b>	<b>1,2</b>	<b>4529</b>	<b>2699</b>	<b>1830</b>	<b>40,4</b>	<b>2658</b>	<b>1,0</b>	

\* No records



**Table 14.** Number and weight in the rod catch in Austurland 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (1SW)					Salmon (2SW)					Brown trout					Arctic charr							
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	Released	MW	Catch	Landed	Released	Released	MW	Catch	Land	Released	Released	Weight Landed	MW	Catch	Landed	Released	Released	Weight Landed	MW	
Mjöfjarða og Kverká	252	148	104	234	2,3	190	99	91	48	2,1	62	5	57	92	4,5	1	1	0	0	1,5	6	6	0	0	6	1,0		
Hölná í Bakkaf	48	39	9	15	1,6	42	9	33	78,6	1,6	6	0	6	100	4,4	8	7	1	12,5	0	5	4	1	20,0	4	1,0		
Selá í Vopnafirði	1614	1341	273	650	2,4	1160	250	910	78,4	2,2	454	23	431	95	5,1	17	11	6	35,3	11	1,0	14	12	2	14,3	12	1,0	
Vesturdalsá	207	102	105	226	2,2	164	96	68	41,5	1,9	43	9	34	79	4,8	7	7	0	0,0	10	1,4	279	259	20	7,2	205	0,8	
Hofsá	1092	783	309	949	3,1	531	224	307	57,8	2,3	561	85	476	85	5,3	101	99	2	2,0	96	1,0	343	343	0	0,0	309	0,9	
Sunnudalsá	68	66	2	4	2,1	59	2	57	96,6	1,7	9	0	9	100	4,7	5	0	5	100,0	0	1,2	2	0	2	100,0	0	0,8	
Fögruhlóðará	26	10	16	41	2,6	21	14	7	33,3	2,2	5	2	3	60	4,9	20	15	5	25,0	21	1,4	53	37	16	30,2	27	0,7	
Vatnasv. Jökulsár á Dal	385	194	191	478	2,5	273	161	112	41,0	2,0	112	30	82	73	5,5	22	16	6	27,3	21	1,3	177	140	37	20,9	140	1,0	
Gilsá og Selfljót	48	1	47	115	2,5	41	40	1	2,4	2,0	7	7	0	0	4,7	122	116	6	4,9	103	0,9	114	107	7	6,1	95	0,9	
Eyvindará *																												
Kelduá *																												
Grímsá á Fljótisdalshérði *																												
Fjarðará, Borgarf.-Eystra *																												
Fjarðará, Seyðisfirði	7	0	7	23	3,3	4	4	0	0,0	2,3	3	3	0	0	4,6	0	0	0	0,0	0	0,0	400	394	6	1,5	240	0,6	
Norðfjarðará	16	1	15	25	1,7	16	15	1	6,3	1,7	0	0	0	0,0	3	1	2	0,0	1	0,6	1124	1000	124	11,0	970	1,0		
Fjarðará, Loðmundarf.	8	3	5	15	3,1	6	3	3	50,0	1,4	2	2	0	0	5,4	17	15	2	0,0	9	0,6	144	122	22	15,3	110	0,9	
Sléttuá í Reyðarfirði #																												
Dalsá í Fäskrúðsfirði	1	0	1	1	1,4	1	1	0	0,0	1,5	0	0	0	0,0	1	1	0	0,0	0	0,9	139	117	22	15,8	89	0,8		
Breiðdalsá	305	150	155	494	3,2	186	110	76	40,9	2,2	119	45	74	62	5,6	286	180	106	37,1	128	0,7	319	160	159	49,8	166	1,0	
Selá í Álftafirði	16	3	13	32	2,4	12	11	1	8,3	1,6	4	2	2	50	6,4	0	0	0	0,0	0	0,0	0	0	0	0,0	0	0,0	
Ceithellnaá *																												
Hofitellsá *																												
Laxá í Nesjum *																												
<b>Austurland Total:</b>	<b>4093</b>	<b>2841</b>	<b>1252</b>	<b>3302</b>	<b>2,6</b>	<b>2706</b>	<b>1039</b>	<b>1667</b>	<b>61,6</b>		<b>1387</b>	<b>213</b>	<b>1174</b>	<b>85</b>		<b>610</b>	<b>469</b>	<b>141</b>	<b>23,1</b>	<b>399</b>	<b>0,9</b>	<b>3119</b>	<b>2701</b>	<b>418</b>	<b>13,4</b>	<b>2373</b>	<b>0,9</b>	

\* no records

# closed for fishery

**Table 15.** Number and weight in the rod catch in Sudurland 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (1SW)					Salmon (2SW)					Brown trout					Arctic charr						
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	Weight Landed	MW	Catch	Landed	Released	% Released	Weight Landed	MW
Brunná *																											
Laxá, Brúará, Djúpa Eldvatn á Brunas. *	2	0	2	11	5,5	0	0	0	0,0	0,0	2	2	0	0,0	5,5	23	23	0	0,0	50	2,2	0	0	0	0,0	0	0,0
Fossálar	1	0	1	2	1,5	1	1	0	0,0	1,5	0	0	0	0,0	0,0	122	115	7	5,7	256	2,2	6	6	0	0,0	3	0,5
Vatnamót	6	0	6	14	2,3	6	6	0	0,0	2,3	0	0	0	0,0	0,0	484	309	175	36,2	769	2,5	3	3	0	0,0	3	0,9
Hólmasvæði *			0																								
Geirlandsá	57	3	54	136	2,5	52	49	3	5,8	2,2	5	5	0	0,0	5,2	256	145	111	43,4	381	2,6	3	3	0	0,0	3	1,1
Skaftá *			0					0																			
Hörgsá á Siðu	15	0	15	34	2,3	14	14	0	0,0	2,1	1	1	0	0,0	4,0	5	5	0	0,0	23	4,6	2	1	0	0,0	0	2,5
Fjaðrá *																											
Víkurflód *																											
Hæðargarðsvatn *																											
Holtsá *																											
Tungulækur *																											
Grænlægur, Jónskv., Sýrl.	3	0	3	6	2,1	3	3	0	0,0	2,1	0	0	0	0,0	0,0	851	621	230	27,0	1329	2,1	25	9	16	64,0	24	2,7
Steinsmýrarvötn																308	256	52	16,9	325	1,3	0	0	0	0,0	0	0,0
Eyjalón																											
Eldvatn í Meðallandi	39	5	34	101	3,0	32	27	5	15,6	2,5	7	7	0	0,0	4,8	229	99	130	56,8	241	2,4	36	29	7	19,4	28	1,0
Tungufljót	74	12	62	190	3,1	60	51	9	15,0	2,6	14	11	3	21,4	5,0	271	154	117	43,2	363	2,4	39	33	6	15,4	43,9	1,3
Kúðafliót *																											
Skálm *																											
Vatnsá og Kerlingadalsá	224	107	117	301	2,6	169	105	64	37,9	2,3	55	12	43	78,2	4,8	63	56	7	11,1	80	1,4	0	0	0	0,0	0	0,0
Heiðarvatn *																											
Skógaá	139	8	131	359	2,7	128	122	6	4,7	2,6	11	9	2	18,2	4,1	2	2	0	0,0	5	2,4	7	4	3	42,9	3	0,8
Markarfljót, Álur	7	1	6	14	2,4	7	6	1	14,3	2,4	0	0	0	0,0	0,0	17	15	2	11,8	50	3,3	0	0	0	0,0	0	0,0
Afall, A-Landeyjum	309	4	305	814	2,7	274	270	4	1,5	2,3	35	35	0	0,0	5,4	38	35	3	7,9	56	1,6	3	2	1	33,3	4	1,9
Ytri-Rangá, Hólsá Vesturb.	5453	26	5427	13296	2,5	4963	4940	23	0,5	2,2	490	487	3	0,6	5,2	78	72	6	7,7	109	1,5	22	17	5	22,7	22	1,3
Hólsá - austurbakki	382	0	382	1100	2,9	311	311	0	0,0	2,4	71	71	0	0,0	4,8	62	61	1	1,6	155	2,5	3	3	0	0,0	6	1,9
Eystri-Rangá	4797	78	4719	12883	2,7	4001	3947	54	1,3	2,3	796	772	24	3,0	5,3	45	42	3	6,7	63	1,5	22	18	4	18,2	23	1,3
Pverá	307	18	289	798	2,8	260	244	16	6,2	2,3	47	45	2	4,3	4,9	71	71	0	0,0	87	1,2	7	7	0	0,0	8	1,1
Hróarslækur	81	1	80	237	3,0	65	64	1	1,5	2,4	16	16	0	0	5,0	9	6	3	33,3	7	1,1	4	3	1	25,0	8	2,5
Minnivallarlækur																267	28	239	89,5	29	1,1	0	0	0	0,0	0	0,0
Galtlækur																46	3	43	93,5	0	1,1	20	0	20	0,0	0	1,0

**Table 15. (continued).** Number and weight in the rod catch in Sudurland 2013. Total catch, catch landed, mean weight, grilse/salmon ratio of Atlantic salmon, brown trout, and Arctic charr (MW = mean weight (kg)).

River	Salmon					Grilse (1SW)					Salmon (2SW)					Brown trout					Arctic charr						
	Catch	Released	Catch landed	Weight landed	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	MW	Catch	Landed	Released	% Released	Weight Landed	MW	Catch	Landed	Released	% Released	Weight Landed	MW
Kálfá	545	300	245	588	2,4	500	234	266	53,2	2,3	45	11	34	75,6	5,0	26	24	2	7,7	28	1,2	1	1	0	0,0	1	0,5
Fossá í Þjórsárdal \$	87	9	78	180	2,3	80	75	5	6,3	2,2	7	3	4	57,1	5,0	4	4	0	0,0	11	2,8	0	0	0	0,0	0	0,0
Sandá í Þjórsárdal \$	40	4	36	83	2,3	38	34	4	10,5	2,2	2	2	0	0	5,0	16	16	0	0,0	10	0,6	2	2	0	0,0	2	0,8
Þverá í Þjórsárdal	9	4	5	10	2,1	9	5	4	44,4	2,1	0	0	0	0,0	0,0	2	2	0	0,0	2	1,0	1	1	0	0,0	0	0,2
Þjórsá	110	0	110	275	2,5	100	100	0	0,0	2,4	10	10	0	0	5,1	147	139	8	0,0	293	2,1	20	20	0	0,0	17	0,9
Kaldakvísl *																											
Kvíslaveitur																633	633	0	0,0	563	0,9						
Botnsvatn *																											
Fellendavatn																227	227	0	0,0	465	2,1						
Þórisvatn																263	263	0	0,0	200	0,8						
Veiðivötn																7167	7167	0	0,0	10392	1,5	6864	6864	0	0,0	2196	0,3
Laugarvatn																23	23	0	0,0	30	1,3	110	110	0	0,0	75	0,7
Hólá	2	0	2	6	2,8	2	2	0	0,0	2,8	0	0	0	0,0	0,0	67	65	2	3,0	65	1,0	276	264	12	4,3	180	0,7
Apá *																											
Apavatn																59	59	0	0,0	39	0,7						
Ólfusá	407	0	407	1152	2,8	365	365	0	0,0	2,6	42	42	0	0,0	4,9	51	50	1	2,0	73	1,5	1	1	0	0,0	2	2,0
Hvítá	625	20	605	1882	3,1	481	472	9	1,9	2,6	144	133	11	7,6	5,1	166	165	1	0,6	218	1,3	2	2	0	0,0	4	2,0
Brúará og Hagaós	34	2	32	92	2,9	25	24	1	4,0	2,2	9	8	1	11,1	4,8	188	188	0	0,0	194	1,0	618	594	24	3,9	606	1,0
Litla-Laxá *																											
Stóra-Laxá	1789	1401	388	1296	3,3	1110	272	838	75,5		679	116	563	82,9		21	14	7	33,3	22	1,6	8	6	2	25,0	9	1,5
Tungufljót Biskupstungum#			0																								
Sog	709	183	526	679	1,3	568	451	117	20,6	2,6	141	75	66	46,8	4,5	50	42	8	16,0	121	2,9	154	140	4	2,6	179	1,3
Ásgarðslækur *																				0							
Varmá/Þorleifs lækur	9	7	2	7	3,3	5	1	4	80,0	2,5	4	1	3	75,0	4,2	293	86	207	70,6	109	1,3	21	6	15	71,4	5	0,9
Hróars holts lækur	52	3	49	147	3,0	44	41	3	6,8	2,6	8	8	0	0,0	5,0	739	642	97	13,1	937	1,5	13	13	0	0,0	8	0,6
Úlfliótsvatn *																											
Þingvallavatn *																											
Hlíðarvatn																						930	872	58	6,2	872	1,0
<b>Sudurland Total</b>	<b>16312</b>	<b>2196</b>	<b>14116</b>	<b>36680</b>	<b>2,6</b>	<b>13673</b>	<b>12236</b>	<b>1437</b>	<b>10,5</b>		<b>2639</b>	<b>1880</b>	<b>759</b>	<b>28,8</b>		<b>13366</b>	<b>11904</b>	<b>1462</b>	<b>10,9</b>	<b>18102</b>	<b>1,5</b>	<b>9223</b>	<b>9034</b>	<b>189</b>	<b>2,0</b>	<b>4334</b>	<b>0,5</b>










**Table 19.** Catch, by region in netfisheries in 2013 in numer and weight (kg).

Area Area/River	Atlantic salmon		Brown trout		Arctic charr	
	number	weight	number	weight	number	weight
<b>Reykjanes Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Reykjanes</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Borgarfjörður netaveiði í sjó			205	149	47	42
Hvítá Borg, neðri hluti	6	14	36	20	59	43
Hvítá efrhl. og Norðurlingfl.	178	413	12	10	80	80
<b>Vesturland</b>	<b>184</b>	<b>427</b>	<b>253</b>	<b>179</b>	<b>186</b>	<b>165</b>
Selá í Ísafjarðardjúpi	17	48			7	7
<b>Vestfirðir</b>	<b>17</b>	<b>48</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>7</b>
Amarvatn-Stóra			1234	1234	13	13
Héraðsvötn						
Norðurá *						
Miklavatn í Fljótum *						
<b>Norðurland vestra</b>	<b>0</b>	<b>0</b>	<b>1234</b>	<b>1234</b>	<b>13</b>	<b>13</b>
Skjálfafljót	39	118	168	187	568	631
Vestmannsvatn *						
Mývatn			1888	2266	555	667
<b>Norðurland eystra</b>	<b>39</b>	<b>118</b>	<b>2056</b>	<b>2453</b>	<b>1123</b>	<b>1298</b>
Lagarfljót	52	184	82	82	282	282
<b>Austurland</b>	<b>52</b>	<b>184</b>	<b>82</b>	<b>0</b>	<b>282</b>	<b>282</b>
Skaftá	20	40	123	242	0	0
Kúðafjót	51	172	170	550	2	2
Mjóásvatn (Álftaveri) *						
Markarfljót Álár						
Veiðivötn			1844	3702	4555	0,49
Kvíslaveitur *						
Þjórsá	6435	16518	282	615	0	0
Laugarvatn			2032	821	229	158
Apavatn			10321	5246	7570	2581
Úlfjótsvatn *						
Hvítá í Árnæssýslu	2022	5574	131	289	43	30
Ölfusá	2763	7199	247	444	22	17
<b>Suðurland</b>	<b>11291</b>	<b>29503</b>	<b>15150</b>	<b>11909</b>	<b>12421</b>	<b>2788</b>
<b>Total</b>	<b>11583</b>	<b>30280</b>	<b>18775</b>	<b>15775</b>	<b>14032</b>	<b>4553</b>

\* No records







## **Veidimálastofnun**

Keldnaholt, 112 Reykjavík

Sími 580-6300 Símbref 580-6301

[www.veidimal.is](http://www.veidimal.is) [veidimalastofnun@veidimal.is](mailto:veidimalastofnun@veidimal.is)



Ásgarður, Hvanneyri  
311 Borgarnes



Brekkugata 2  
530 Hvammstangi



Verið, Háeyri1  
550 Sauðárkrókur



Austurvegur 3-5  
800 Selfoss